

PCT09

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/868,732

DATE: 01/14/2002

TIME: 12:20:25

Input Set : A:\Sequence Listing.ST25.txt

Output Set: N:\CRF3\01142002\I868732.raw

P.S

3 <110> APPLICANT: Andersson, Leif
 4 Georges, Michel
 5 Spincemaille, Geert
 6 Nezer, Carine
 8 <120> TITLE OF INVENTION: SELECTING ANIMALS FOR PARENTALLY IMPRINTED TRAITS
 10 <130> FILE REFERENCE: 2183-4951US
 12 <140> CURRENT APPLICATION NUMBER: US 09/868,732
 13 <141> CURRENT FILING DATE: 2001-06-15
 15 <150> PRIOR APPLICATION NUMBER: PCT/EP99/10209
 16 <151> PRIOR FILING DATE: 1999-12-16
 18 <150> PRIOR APPLICATION NUMBER: EP98204291.3
 19 <151> PRIOR FILING DATE: 1998-12-16
 21 <160> NUMBER OF SEQ ID NOS: 123
 23 <170> SOFTWARE: PatentIn version 3.1
 25 <210> SEQ ID NO: 1
 26 <211> LENGTH: 21
 27 <212> TYPE: DNA
 28 <213> ORGANISM: Pig
 30 <400> SEQUENCE: 1
 31 ggcaagttct tccgctaag a 21
 34 <210> SEQ ID NO: 2
 35 <211> LENGTH: 20
 36 <212> TYPE: DNA
 37 <213> ORGANISM: Pig
 39 <400> SEQUENCE: 2
 40 gcaccgcaga attacgacaa 20
 43 <210> SEQ ID NO: 3
 44 <211> LENGTH: 26
 45 <212> TYPE: DNA
 46 <213> ORGANISM: Pig
 48 <400> SEQUENCE: 3
 49 gtttctcctg taccacacag catccc 26
 52 <210> SEQ ID NO: 4
 53 <211> LENGTH: 19
 54 <212> TYPE: DNA
 55 <213> ORGANISM: Pig
 57 <400> SEQUENCE: 4
 58 ctacaagctg ggctcaggg 19
 61 <210> SEQ ID NO: 5
 62 <211> LENGTH: 25
 63 <212> TYPE: DNA
 64 <213> ORGANISM: Pig
 66 <400> SEQUENCE: 5
 67 cccctgaact tgaggacgag cagcc 25
 70 <210> SEQ ID NO: 6
 71 <211> LENGTH: 25
 72 <212> TYPE: DNA

ENTERED

RAW SEQUENCE LISTING

DATE: 01/14/2002

PATENT APPLICATION: US/09/868,732

TIME: 12:20:25

Input Set : A:\Sequence Listing.ST25.txt

Output Set: N:\CRF3\01142002\I868732.raw

```

73 <213> ORGANISM: Pig
75 <400> SEQUENCE: 6
76 atcgctgtgg gctgggtggg ctgcc                25
79 <210> SEQ ID NO: 7
80 <211> LENGTH: 19
81 <212> TYPE: DNA
82 <213> ORGANISM: Pig
84 <400> SEQUENCE: 7
85 cgccccagct gccccccag                19
88 <210> SEQ ID NO: 8
89 <211> LENGTH: 19
90 <212> TYPE: DNA
91 <213> ORGANISM: Pig
93 <400> SEQUENCE: 8
94 cgccccagct gccccccaa                19
97 <210> SEQ ID NO: 9
98 <211> LENGTH: 20
99 <212> TYPE: DNA
100 <213> ORGANISM: Pig
102 <400> SEQUENCE: 9
103 cctgagctgc agcaggccag                20
106 <210> SEQ ID NO: 10
107 <211> LENGTH: 500
108 <212> TYPE: DNA
109 <213> ORGANISM: Pig
111 <400> SEQUENCE: 10
112 ggggtgggcag cttcctccca gaccgcagga ggcccaagtt ccctggccct gcccaaccag    60
114 ggccagctga agcaggtcag agacaccgc tctgtccct cctgtcacct aaccaacag    120
116 gccggggccc agggacacag gccacatggc atctccccc atgccctgc cccaaggcgc    180
118 ccagcaggtg aggctggagc agagtctggg tctgcgggc cagaccgagg gcaggacagc    240
120 tgggcatctg tctcacagt ccccgcgctt tgctcggagg cggcagagcc tcatccaaga    300
122 cgcccgcgaag gaacgggaga aggcggaggc cgcggctgcc gcgtccgagc ccggggaggc    360
124 cctggaagtg ggggcccttg ccgagcggga cgggaaggcc ctgctgaacc tgctcttcac    420
126 cctgagggcc accaagcccc cctcgtctgt ccggtccctg aaaaaattct aggtgagggg    480
128 gcggggccagg gctccccggg
131 <210> SEQ ID NO: 11
132 <211> LENGTH: 943
133 <212> TYPE: DNA
134 <213> ORGANISM: Pig
136 <400> SEQUENCE: 11
137 tgctcctcac accccgggcg gggctgctct tggggccatc ctcccatgg gcccagcacc    60
139 cactctggcc ttcacacctg ccgtcttctg ggaagtcctc tggttcccaa ggaaagtctc    120
141 tgagctggac aagtgccacc acctggtcac caagttcgat cctgagctgg acctggacca    180
143 cccggtgagc cggtgccctc cctccccggc cgccatgtct cccatcccca ggggtgtccc    240
145 cacactcagg gccgggactg ggcgtaacc ccgggttggg acggatgttg gcctgctgtg    300
147 tggctccttg cggaacagag aggcctgget gggtgccacc ccagggccc ccgccgatga    360
149 cacggggccgc gtctgggctg ggcgggcagg gcggccaggc agggcagcct ccgatggcgt    420
151 ccccggtctg caccagggtt tctcggacca gttgtaccgc cagcgcagga agctgattgc    480
153 ccagatcgcc ttccagtaca ggcagtaagt ccctccaggg cctcagcctg gggggccaga    540

```

RAW SEQUENCE LISTING

DATE: 01/14/2002

PATENT APPLICATION: US/09/868,732

TIME: 12:20:25

Input Set : A:\Sequence Listing.ST25.txt

Output Set: N:\CRF3\01142002\I868732.raw

```

155 cctcagcctg ggcctcacgc cagacctggg ggtggaggga agggagggtg tctttgtcac 600
157 caacgccacc accttcaactg tcaccatggt caccgactct gggcccccaa atcacagctg 660
159 aggaaactgg ggcacagagt ggttaagcat cttgctgaag ccacacagct ggcgagcat 720
161 ttggccccgg cccctcctgc ggctccaca cgtgctccct gaggggcccg ggactgacag 780
163 ctgtcccctc ctcagagggtg accctattcc ccgcgtggag tacacagccg aggagattgc 840
165 cacctgggtga ggcctgtga cagcggtggg gaggggcccg agtgggggaa gggacaggaa 900
167 gacctcagaa ttcccgcgtg gaacgtggtg gcctctatca tga 943
170 <210> SEQ ID NO: 12
171 <211> LENGTH: 1500
172 <212> TYPE: DNA
173 <213> ORGANISM: Pig
175 <220> FEATURE:
176 <221> NAME/KEY: variation
177 <222> LOCATION: (1081)..(1081)
178 <223> OTHER INFORMATION: Polymorphism A:T
181 <220> FEATURE:
182 <221> NAME/KEY: variation
183 <222> LOCATION: (1210)..(1210)
184 <223> OTHER INFORMATION: Polymorphism CAAGGCCAGGT:-
187 <220> FEATURE:
188 <221> NAME/KEY: variation
189 <222> LOCATION: (1186)..(1186)
190 <223> OTHER INFORMATION: Polymorphism A:G
193 <220> FEATURE:
194 <221> NAME/KEY: variation
195 <222> LOCATION: (1149)..(1149)
196 <223> OTHER INFORMATION: Polymorphism -:C
199 <400> SEQUENCE: 12
200 ggggagggga tgctcagacc cgctctggga agaagagagc ctcagaagaa atcccttccc 60
202 aagggtcacg cgggtggagcc caggggcccg ctagggggccg attcccacag ctogtgcctg 120
204 cacctgctgg cgctcccagg aactgcggag gcggtggggg ccctggatgg gtccggcagt 180
206 gggctgcgag gagaccctg gaggggctgc ggacacccca gctgccactc acaagggtgc 240
208 caagcggcgg tggcaatggg ctgagcctct cccccctcc tccctccgag gacattggcc 300
210 tcgcatccct gggggtctcg gacgaggaaa ttgagaagct gtccacgggtg ggtttctccc 360
212 cctgcagggc cctgggttcc agccaggccc tcctgtccaa ggggtgtcgt cctcacgctg 420
214 tgaccgcccg ggagcctgga tcggttctgc ctgggtgggc ggtgcccggg ccacgggcag 480
216 caggggcagc ggtgcgggccc ccagccgtgt ctgagccccc ttgccgctg tccccaccag 540
218 ctgtactggt tcacggtgga gtttgggctc tgcaaacaga acggcgaggt gaaggcctac 600
220 ggggctgggc tgctgtctc ctacggggag ctctgtgtga ggctcccc acgcgctggg 660
222 gcctgggtcc ccgggggagg tgaccctgc ggtgccttgt ggattccagc tctcgggagg 720
224 ctggagcgag gggctgccct cctgggggca ccaagaaagc tggctctgcg ccctctccac 780
226 acacctgtgc ctgggccctg gggggacccc tgctggggga tgtgggtgca cagccagggc 840
228 caccaggagg tcaggacacg gggctccctt ccctcgggtc cctgagaccc ctggcctccc 900
230 gccagcactc cctgtccgag gagcccgaga tccgggcctt cgaccccgac gcggcgccg 960
232 tgcagcccta ccaggaccag acctaccagc ccgtctactt cgtgtctgag agtttcagtg 1020
234 acgccaaagg caagctcagg tgggcccggg cccggggccc ccaaactgga ggatccagcc 1080
236 tgcagccccg cctatgagcc catttcccag cagagggagc tgctgcggac cccaccgtca 1140
238 caacccccct cccacagctg gaaccccaga aagcctgcgg aggggggacc tgcagggctg 1200
240 tggccaggtc aaggccaggc cgaggccagg cttttagggg tgaagtctga ctttgtaaga 1260

```

RAW SEQUENCE LISTING

DATE: 01/14/2002

PATENT APPLICATION: US/09/868,732

TIME: 12:20:25

Input Set : A:\Sequence Listing.ST25.txt

Output Set: N:\CRF3\01142002\I868732.raw

```

242 ggggggtgcag ggtccttccc agcctcctcc cctccgagca gctggggggcg gggcggggggt 1320
244 gcgatgaagg cagagatgac gcagccaccc gttcaccctc aggaggcgcc tctgtccag 1380
246 ccaggctcct gttgtcacag gggaaactga ggccccaggt gtgtgtgtgg ggggggtgatt 1440
248 ctcacacaca agcttaggga caggacata acggcctctc cagggcacac agtctggagg 1500
251 <210> SEQ ID NO: 13
252 <211> LENGTH: 3024
253 <212> TYPE: DNA
254 <213> ORGANISM: Pig
256 <220> FEATURE:
257 <221> NAME/KEY: misc_feature
258 <222> LOCATION: (5)..(5)
259 <223> OTHER INFORMATION: Nonspecific nucleotide
262 <220> FEATURE:
263 <221> NAME/KEY: misc_feature
264 <222> LOCATION: (10)..(10)
265 <223> OTHER INFORMATION: Nonspecific nucleotide
268 <220> FEATURE:
269 <221> NAME/KEY: misc_feature
270 <222> LOCATION: (62)..(62)
271 <223> OTHER INFORMATION: Nonspecific nucleotide
274 <220> FEATURE:
275 <221> NAME/KEY: misc_feature
276 <222> LOCATION: (103)..(103)
277 <223> OTHER INFORMATION: Nonspecific nucleotide
280 <220> FEATURE:
281 <221> NAME/KEY: misc_feature
282 <222> LOCATION: (110)..(110)
283 <223> OTHER INFORMATION: Nonspecific nucleotide
286 <220> FEATURE:
287 <221> NAME/KEY: misc_feature
288 <222> LOCATION: (168)..(168)
289 <223> OTHER INFORMATION: Nonspecific nucleotide
292 <220> FEATURE:
293 <221> NAME/KEY: variation
294 <222> LOCATION: (438)..(438)
295 <223> OTHER INFORMATION: polymorphism C:A
298 <220> FEATURE:
299 <221> NAME/KEY: variation
300 <222> LOCATION: (443)..(443)
301 <223> OTHER INFORMATION: polymorphism A:C
304 <220> FEATURE:
305 <221> NAME/KEY: variation
306 <222> LOCATION: (455)..(455)
307 <223> OTHER INFORMATION: polymorphism G:A
310 <220> FEATURE:
311 <221> NAME/KEY: variation
312 <222> LOCATION: (503)..(503)
313 <223> OTHER INFORMATION: polymorphism G:A
316 <220> FEATURE:

```

RAW SEQUENCE LISTING

DATE: 01/14/2002

PATENT APPLICATION: US/09/868,732

TIME: 12:20:25

Input Set : A:\Sequence Listing.ST25.txt

Output Set: N:\CRF3\01142002\I868732.raw

317 <221> NAME/KEY: variation
318 <222> LOCATION: (525)..(525)
319 <223> OTHER INFORMATION: polymorphism T:C
322 <220> FEATURE:
323 <221> NAME/KEY: variation
324 <222> LOCATION: (528)..(528)
325 <223> OTHER INFORMATION: polymorphism G:A
328 <220> FEATURE:
329 <221> NAME/KEY: variation
330 <222> LOCATION: (571)..(571)
331 <223> OTHER INFORMATION: polymorphism A:G
334 <220> FEATURE:
335 <221> NAME/KEY: variation
336 <222> LOCATION: (636)..(636)
337 <223> OTHER INFORMATION: polymorphism G:T
340 <220> FEATURE:
341 <221> NAME/KEY: variation
342 <222> LOCATION: (710)..(710)
343 <223> OTHER INFORMATION: polymorphism A:G
346 <220> FEATURE:
347 <221> NAME/KEY: variation
348 <222> LOCATION: (867)..(867)
349 <223> OTHER INFORMATION: polymorphism C:T
352 <220> FEATURE:
353 <221> NAME/KEY: variation
354 <222> LOCATION: (903)..(903)
355 <223> OTHER INFORMATION: polymorphism C:T
358 <220> FEATURE:
359 <221> NAME/KEY: variation
360 <222> LOCATION: (1148)..(1148)
361 <223> OTHER INFORMATION: polymorphism C:G
364 <220> FEATURE:
365 <221> NAME/KEY: variation
366 <222> LOCATION: (1305)..(1305)
367 <223> OTHER INFORMATION: polymorphism C:T
370 <220> FEATURE:
371 <221> NAME/KEY: variation
372 <222> LOCATION: (1320)..(1320)
373 <223> OTHER INFORMATION: polymorphism C:T
376 <220> FEATURE:
377 <221> NAME/KEY: variation
378 <222> LOCATION: (1400)..(1400)
379 <223> OTHER INFORMATION: polymorphism C:T
382 <220> FEATURE:
383 <221> NAME/KEY: variation
384 <222> LOCATION: (1519)..(1519)
385 <223> OTHER INFORMATION: polymorphism G:A
388 <220> FEATURE:
389 <221> NAME/KEY: variation

Use of n and/or Xaa has been detected in the Sequence Listing.
Review the Sequence Listing to insure a corresponding
explanation is presented in the <220> to <223> fields of
each sequence using n or Xaa.

VERIFICATION SUMMARY

DATE: 01/14/2002

PATENT APPLICATION: US/09/868,732

TIME: 12:20:26

Input Set : A:\Sequence Listing.ST25.txt

Output Set: N:\CRF3\01142002\I868732.raw

L:407 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:409 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:411 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:538 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14
L:609 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15
L:621 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15
L:623 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15
L:780 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16
L:1200 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
L:1279 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25
L:1297 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25
L:1808 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46
L:1881 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49
L:2644 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76
L:2904 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84
L:5006 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:120